



مركز البراغي والعدد
BTCO
BOLTS & TOOLS CENTER



HANDTOOL NEWS

2. HALF OF 2015

ADDITION TO N° 6

polar
handtools

polar
handtools


POLAR® ROLLER CABINETS, ASSORTMENTS AND STORAGE

TOOL BOXES

1092 3D TOOL BOX WITH TOOL ASSORTMENT

ITEM NO. 1092-0119

- TOOL BOX with tool set type 1875 S8.
- 3 drawers mounted on ball bearing slides.
- All drawers are supplied with oil-proff rubber mats
- 119 tools.



20 KG

5704196 027678



119
TOOLS



CONTENT TRAY:



QTY.	DESCRIPTION	SIZE
12	6-point sockets	5014 1/4" 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
3	Long 6-point sockets	5014 1/4" L 8, 10, 13 mm
1	Universal joint	5814 1/4" U
1	Extension	5214 EX 1/4" 50 mm
1	Ratchet, 60-teeth	5314 1/4"
1	Sliding T-handle	5414 TH 1/4"
1	Spinner handle	5514 1/4" HD
1	Magnetic Bit Holding Screwdriver	4043 M 1/4" x 100 mm

QTY.	DESCRIPTION	SIZE
14	6-point sockets	5012 1/2" 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
3	Long 6-point sockets	5012 1/2" L 17, 19, 21 mm
1	Universal joint	5812 1/2" U
3	Extensions	5212 1/2" EX 50, 125, 150 mm
1	Ratchet, 60-teeth	5312 1/2"
1	Bits set with bit holder, 32 tools	4590 H 1/4"

CONTENT DRAWERS:



QTY.	DESCRIPTION	SIZE
3	Screwdrivers for Philips® screws	4010 PH 1 - PH 2 - PH 3
1	Stubby screwdriver for Philips® screws	4013 PH 1
4	Screwdrivers for slotted screws	4000 4x100 - 5.5x125 - 6.5x150 - 8x175 mm
1	Stubby screwdriver for slotted screws	4003 5.5x25 mm



QTY.	DESCRIPTION	SIZE
11	Combination wrenches	2000 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
1	Long metric hexagon key set with ball-point	4195 LS/9 1.5-2-2.5-3-4-5-6-8-10 mm
1	Long key set for Torx® Key Set	4190 LTXS/9 T8-T10-T15-T20-T25-T27-T30-T40-T50



QTY.	DESCRIPTION	SIZE
1	Water pump plier	3020 250 mm
1	Half-round long nose plier straight jaw	3005 200 mm
1	Combination plier	3001 180 mm
1	Heavy-duty diagonal cutter	3004 180 mm
1	Mechanic hammer	8030 300 g
1	Adjustable wrench	2600 8"/200 mm



POLAR®

ROLLER CABINETS, ASSORTMENTS AND STORAGE



1093 5T CANTILEVER TOOL BOX WITH TOOL ASSORTMENT

104 TOOLS

ITEM NO. 1093-0104

- TOOL BOX with tool set type 1875 S9.
- Preset for padlock.
- Inside dimensions:
lower compartment 465 x 120 x 215 mm
compartments 465 x 100 x 55 mm
- 104 tools.



CONTENT TRAYS:



QTY.	DESCRIPTION	SIZE
11	6-point sockets	5014 1/4" 3.5, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
1	Universal joint	5814 1/4" U
1	Extension	5214 1/4" EX 50 mm
1	Ratchet, 60-teeth	5314 E 1/4"
1	Water Pump Plier	3020 250 mm
1	Adjustable wrench	2600 8"/200 mm



QTY.	DESCRIPTION	SIZE
10	Combination wrenches	2000 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm
1	Mechanic hammer	8030 300 g
1	Combination plier	3001 180 mm
1	Half-round long nose plier with straight jaw	3005 200 mm
1	Measuring tape	9400 3 mtr.



QTY.	DESCRIPTION	SIZE
2	Screwdrivers for slotted screws	4000 3 x 75 - 5.5 x 125
2	Screwdrivers for Philips screws	4010 PH 1 - PH 2
1	Magnetic bit holding screwdriver	4043 M 1/4" x 100 mm
1	Bits set with bit holder, 32 tools	4590 H 1/4"



QTY.	DESCRIPTION	SIZE
14	6-point sockets	5012 1/2" 10, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
1	Universal joint	5812 1/2" U
1	Extension	5212 1/2" EX 125 mm
1	Ratchet, 60-teeth	5312 1/2"



QTY.	DESCRIPTION	SIZE
1	Long key set for Torx Key Set	4190 LTXS/9 T8-T10-T15-T20-T25-T27-T30-T40-T50
1	Long metric hexagon key set with ball-point	4195 LS/9 1.5-2-2.5-3-4-5-6-8-10 mm
1	Pin punch	8200 3 mm
1	Center punch	8210 4 mm

polar

polar
handtools

POLAR® ROLLER CABINETS, ASSORTMENTS AND STORAGE

ROLLER CABINETS WITH TOOLS


1000 8D ROLLER CABINET (EMPTY)

ITEM NO. 1000-0008

- Vogn (tom) med 8 skuffer.
- 7 skuffer: H 65 x B 580 x D 375 mm
1 skuffer: H 145 x B 580 x D 375 mm
- Kraftig konstruktion: 700 kg statisk belastning.
- Skuffebelastning: 40 kg

5704196 027982

66 KG




1091 G8E ROLLER CABINET WITH TOOL ASSORTMENT

ITEM NO. 1091-0367

- X-LARGE roller cabinet with tool set type 1875 S8.
- 8 drawers.
- 367 tools.

5704196 028002

92 KG



CONTENT:

367
TOOLS



- 1800 Combination wrench set 8 - 19 mm
- 1801 Combination wrench set 20 - 24 mm
- 1807 Reversible ratchet combination wrench set 8 - 19 mm
- 1812 Double swivel end socket wrench set 8 - 19 mm



- 1813 1/4" Socket wrench set 4 - 14 mm
- 1815 1/4" Long sockets and socket drivers
- 1817 3/8" Socket wrench set 6 - 22 mm
- 1818 3/8" Long sockets 8 - 22 mm



- 1819 1/2" Socket wrench set 10 - 32 mm
- 1820 1/2" Long sockets 10 - 24 mm
- 1825 1/2" Long socket drivers for hex head screws 5 - 19 mm
- 1826 1/2" Long socket drivers for Torx® screws T10 - T50



- 1827 1/2" Ratchet and accessories
- 1829 B Screwdriver set for slotted head screws
- 1830 C Screwdriver set, PH
- 1831 A Screwdriver set, TX



- 1834 Metric and Torx® hexagon key set
- 1835 Plier set with combination-, cutting- and long nose pliers
- 1836 Plier set with waterpump- and locking plier
- 1843 Bits set



- 1839 Hammers, chisels and files set
- 1840 Impact tool set



POLAR® SCREWDRIVERS AND BITS




SCREWDRIVERS

4000 SCREWDRIVERS FOR SLOTTED HEAD SCREWS

ISO 2380, DIN 5264

- Ergonomic soft grip handle.
 - Surface: Chrome plated blade with burnished tip.
- Material: Chrome-molybdenum steel blade.



ITEM NO.	5704196+	A X B X C MM	D MM	L MM	G	
4000-0030	006697	0,5 x 3 x 75	85	160	30	10
4000-0040	006703	0,8 x 4 x 100	105	205	56	10
▶ 4000-0155	027227	1,0 x 5,5 x 100	105	205	66	10
4000-0055	006710	1,0 x 5,5 x 125	105	230	69	10
▶ 4000-0165	027234	1,2 x 6,5 x 100	115	215	92	10
4000-0065	006727	1,2 x 6,5 x 150	115	265	102	10
▶ 4000-0180	027241	1,2 x 8,0 x 150	125	280	164	10
4000-0080	006734	1,2 x 8 x 175	125	300	172	10
▶ 4000-0100	027258	1,6 x 10 x 200	125	330	224	10

4002 SCREWDRIVERS FOR SLOTTED HEAD SCREWS WITH ROUND BLADE

ISO 2380, DIN 5264


- Supplied with round blade. Ergonomic soft grip handle.
 - Surface: Chrome plated blade with burnished tip.
- Material: Chrome-molybdenum steel blade.



ITEM NO.	5704196+	A X B X C MM	D MM	L MM	G	
▶ 4002-0030	027272	0,5 x 3,0 x 75	85	160	28	10
▶ 4002-0040	027289	0,8 x 4,0 x 100	105	205	56	10
▶ 4002-0055	027296	1,0 x 5,5 x 100	105	205	70	10
▶ 4002-0065	027302	1,2 x 6,5 x 150	115	265	110	10

4001 SCREWDRIVERS FOR SLOTTED HEAD SCREWS

- Supplied with go-through blade and hexagonal bolster.
 - Ergonomic soft grip handle with impact cap.
 - Surface: Chrome plated blade with burnished tip.
- Material: Chrome-molybdenum steel blade.



ITEM NO.	5704196+	A X B X C MM	D MM	L MM	G	
4001-0055	016597	1,0 x 5,5 x 125	110	235	98	6
4001-0065	016603	1,2 x 6,5 x 150	120	245	137	6
▶ 4001-0180	027265	1,2 x 8,0 x 150	130	275	220	8
4001-0080	016610	1,2 x 8 x 175	130	305	227	6
4001-0100	016627	1,6 x 10 x 200	130	330	278	6
4001-0120	016634	2 x 12 x 200	130	330	318	6

4003 STUBBY SCREWDRIVERS FOR SLOTTED HEAD SCREWS

ISO 2380, DIN 5264

- Ergonomic soft grip handle.
 - Surface: Chrome plated blade with burnished tip.
- Material: Chrome-molybdenum steel blade.



ITEM NO.	5704196+	PH	C MM	D MM	L MM	G	
4010-0100	006772	0	60	85	145	29	10
4010-0101	006789	1	80	105	185	60	10
4010-0102	006796	2	100	115	215	86	10
▶ 4010-0112	027319	2	150	115	265	102	10
4010-0103	006802	3	150	125	275	165	10

4011 PH SCREWDRIVERS FOR PHILLIPS® HEAD SCREWS

- Supplied with go-through blade and hexagonal bolster.
 - Ergonomic soft grip handle with impact cap.
 - Surface: Chrome plated blade with burnished tip.
- Material: Chrome-molybdenum steel blade.



ITEM NO.	5704196+	PH	C MM	D MM	L MM	G	
4011-0101	016641	1	80	110	190	88	6
4011-0102	016658	2	100	120	220	131	6
4011-0103	016665	3	150	130	280	219	6
4011-0104	016672	4	200	130	330	315	6
▶ 4011-0114	027326	4	300	130	430	388	9




POLAR® SOCKETS AND ACCESSORIES

1" SOCKETS AND ACCESSORIES

5090 H 1" METRIC SOCKET WRENCH SET

ITEM NO. 5090-0115

- Socket wrench set in metal box with 6-point sockets from 36 to 80 mm and accessories.
- Supplied with a reversible 24-teeth ratchet.
- 15 tools.



27,6 KG

5704196 026572

1

1"



CONTENT:

QTY.	DESCRIPTION	SIZE
10	6-point sockets	5001 1" 36 - 41 - 46 - 50 - 55 - 60 - 65 - 70 - 75 - 80 mm
1	Ratchet, 24 teeth	5301 1"
2	Extensions	5201 1" EX 200 - 400 mm
1	Handle	550 mm
1	Sliding head	1"






POLAR® SOCKETS AND ACCESSORIES



5001 1" 6-POINT METRIC SOCKETS

ISO 2725-2, DIN 3129

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.




ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
5001-0036	026404	36	45	52,0	28	65	470	1
5001-0041	026411	41	45	57,0	32	70	570	1
5001-0046	026428	46	50	65,0	34	75	870	1
5001-0050	026435	50	50	70,0	34	75	1050	1
5001-0055	026442	55	55	76,0	40	80	1250	1
5001-0060	026459	60	55	82,0	42	84	1500	1
5001-0065	026466	65	55	88,0	44	87	1660	1
5001-0070	026473	70	60	94,0	48	93	2200	1
5001-0075	026480	75	60	100,0	52	87	2400	1
5001-0080	026497	80	60	105,0	54	103	3000	1

5634 A 3/4" ADAPTOR FROM 3/4" TO 1"

ISO 3316, DIN 3123

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.




ITEM NO.	5704196+	3/4"	1	A MM	L MM	G	
5634-3401	026541	3/4"	1	38	62	390	1

5401 TH 1" SLIDING T-HANDLE

ISO 3316, DIN 3123

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.



ITEM NO.	5704196+	L MM	A MM	G	
5401-0550	026565	550	80	3340	1

5201 EX 1" EXTENSIONS

ISO 3316, DIN 3123.

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.




ITEM NO.	5704196+	L MM	A MM	G	
5201-0150	026510	150	48	1100	1
5201-0200	026527	200	48	1350	1
5201-0400	026534	400	48	2480	1

5301 1" REVERSIBLE RATCHET

ISO 3315, DIN 3122

▪ Model with 24 teeth. Working angle of 15°.

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.




ITEM NO.	5704196+	A MM	B MM	C MM	L MM	G	
5301-0024	026503	33,8	71,5	66,7	670	4410	1

5701 A 1" ADAPTOR FROM 1" TO 3/4"

ISO 3316, DIN 3123

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.



ITEM NO.	5704196+	1"	3/4"	A MM	L MM	G	
5701-0134	026558	1"	3/4"	48	65	440	1

5901 FH 1" SWIVEL HANDLE - 1000 MM

ISO 3316, DIN 3123

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.



ITEM NO.	5704196+	L MM	A MM	G	
5901-1000	026398	1000	87	3820	1



POLAR® SOCKETS AND ACCESSORIES




RATCHETS



5314 E 1/4" REVERSIBLE RATCHET W/ LOCKING SYSTEM

ISO 3315, DIN 3122

- Model with 60 teeth and Quick Release. Compact head with working angle of 6°.
- Surface: Satin chrome finish. Material: Chrome-vanadium steel.




ITEM NO.	5704196+	A MM	B MM	C MM	L MM	G	1
5314-1060	027333	10	20	20	146	92	1

5338 E 3/8" REVERSIBLE RATCHET WITH LOCKING SYSTEM

ISO 3315, DIN 3122

- Model with 60 teeth and Quick Release.
- Compact head with working angle of 6°.
- Surface: Satin chrome finish. Material: Chrome-vanadium steel.




ITEM NO.	5704196+	A MM	B MM	C MM	L MM	G	1
5338-0060	027340	13	28	26	199	216	1

5312 E 1/2" REVERSIBLE RATCHET WITH LOCKING SYSTEM

ISO 3315, DIN 3122

- Model with 60 teeth and Quick Release.
- Compact head with a working angle of 6°.
- Surface: Satin chrome finish. Material: Chrome-vanadium steel.



ITEM NO.	5704196+	A MM	B MM	C MM	L MM	G	1
5312-0060	027357	16	36	33	255	446	1



POLAR® SOCKETS AND ACCESSORIES




EXTENSIONS

5214 EX 1/4" EXTENSION WITH QUICK-RELEASE

ISO 3316, DIN 3123.

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.



ITEM NO.	5704196+	L MM	A MM	G	Icon
5214-2250	027739	250	12,3	90	10

5290 3/8" QUICK-RELEASE EXTENSION BAR SET - 3 PCS.

▪ Supplied in nylon bag.




3
TOOLS

ITEM NO.	5704196+	QTY.	SIZE MM	G	Icon
5290-3803	027807	3	5238 75 mm, 125 mm, 200 mm	400	1

5212 EX 1/2" EXTENSION WITH QUICK-RELEASE

ISO 3316, DIN 3123.

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.



ITEM NO.	5704196+	L MM	A MM	G	Icon
5212-2075	027777	75	22	128	10
5212-2125	027784	125	22	212	10
5212-2250	027791	250	22	418	10

5290 1/2" QUICK-RELEASE EXTENSION BAR SET - 3 PCS.

▪ Supplied in nylon bag.




3
TOOLS

ITEM NO.	5704196+	QTY.	SIZE MM	G	Icon
5290-1203	027814	3	5212 75 mm, 125 mm, 250 mm	850	1

5238 EX 3/8" EXTENSION WITH QUICK-RELEASE

ISO 3316, DIN 3123.

▪ Surface: Chrome plated finish. Material: Chrome-vanadium steel.



ITEM NO.	5704196+	L MM	A MM	G	Icon
5238-2075	027746	75	15,5	68	10
5238-2125	027753	125	15,5	112	10
5238-2200	027760	200	15,5	184	10


POLAR® SOCKETS AND ACCESSORIES

3/8" IMPACT SOCKETS AND ACCESSORIES

6038 3/8" 6-POINT METRIC IMPACT SOCKETS

ISO 2725-2, DIN 3129


■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6038-0006	023267	6	19	11,0	10	32	34	1
6038-0007	023274	7	19	12,5	12	32	34	1
6038-0008	023281	8	19	13,5	12	32	34	1
6038-0009	023298	9	19	14,5	12	32	36	1
6038-0010	023304	10	19	15,8	12	32	36	1
6038-0011	023311	11	19	17,0	12	32	36	1
6038-0012	023328	12	19	18,0	12	32	38	1
6038-0013	023335	13	22	19,5	12	32	52	1
6038-0014	023342	14	22	20,8	12	32	54	1
6038-0015	023359	15	22	22,0	10	32	57	1
6038-0016	023366	16	22	23,8	11	32	62	1
6038-0017	023373	17	22	25,0	11	32	60	1
6038-0018	023380	18	22	26,0	10	32	64	1
6038-0019	023397	19	22	27,8	10	32	73	1
6038-0020	023403	20	22	30,0	17	32	73	1
6038-0021	023410	21	22	30,0	17	32	68	1
6038-0022	023427	22	22	32,0	15	32	84	1
6038-0024	023434	24	22	34,0	16	32	74	1

6238 EX 3/8" EXTENSIONS


■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	L MM	A MM	G	
6238-0075	023625	75	19	85	1
6238-0125	023632	125	19	123	1

6614 A 1/4" ADAPTOR FROM 1/4" TO 3/8"


■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	A MM	L MM	G	
6614-1438	023595	14	26	18	1

6638 A 3/8" ADAPTOR FROM 3/8" TO 1/2"

■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.




ITEM NO.	5704196+	A MM	L MM	G	
6638-3812	016429	22	38	64	1

6138 TW 3/8" METRIC IMPACT SOCKETS

ISO 1174, DIN 3120

■ Twist sockets for removal rounded or damaged fasteners with almost any head configuration.


■ Surface: Phosphatised finish.
Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	B1 MM	L MM	G	
6138-5011	025605	11	16,0	32	34	1
6138-5012	025612	12	18,0	32	36	1
6138-5013	025629	13	18,5	32	57	1
6138-5014	025636	14	20,5	32	57	1
6138-5015	025643	15	22,0	32	57	1
6138-5016	025650	16	22,5	32	58	1
6138-5017	025667	17	24,5	32	77	1
6138-5019	025674	19	27,0	32	93	1

6838 U 3/8" UNIVERSAL JOINT

■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	L MM	A MM	G	
6838-0038	023618	53	27	105	1



POLAR® SOCKETS AND ACCESSORIES




1/2" IMPACT SOCKETS AND ACCESSORIES

6012 1/2" 6-POINT METRIC IMPACT SOCKETS

ISO 2725-2, DIN 3129


- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6012-0008	023441	8	24	14,0	15	38	55	1
6012-0009	023458	9	24	16,0	14	38	60	1
6012-0010	016054	10	25	17,5	12	39	70	1
6012-0011	016061	11	25	18,5	12	39	71	1
6012-0012	016078	12	25	20,0	12	39	72	1
6012-0013	016085	13	25	21,0	12	39	74	1
6012-0014	016092	14	25	22,5	12	39	79	1
6012-0015	016108	15	30	25,0	12	39	119	1
6012-0016	016115	16	30	26,0	12	39	121	1
6012-0017	016122	17	30	26,0	13	39	122	1
6012-0018	016139	18	30	27,5	13	39	123	1
6012-0019	016146	19	30	28,0	13	39	125	1
6012-0020	023465	20	30	30,0	15	38	120	1
6012-0021	016153	21	30	30,0	13	39	127	1
6012-0022	016160	22	30	32,0	13	39	131	1
6012-0023	023472	23	30	32,0	14	38	123	1
6012-0024	016177	24	30	34,0	20	39	175	1
6012-0025	023489	25	30	36,0	16	43	167	1
6012-0026	023496	26	30	36,0	21	43	148	1
6012-0027	016184	27	30	38,0	24	43	225	1
6012-0028	023502	28	30	40,0	22	47	200	1
6012-0029	023519	29	30	40,0	22	47	195	1
6012-0030	016191	30	30	42,0	24	48	253	1
6012-0032	016207	32	30	44,0	26	48	273	1
6012-0036	023526	36	43	50,0	25	47	362	1

6012 L 1/2" 6-POINT LONG METRIC IMPACT SOCKETS

- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.




ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6012-4010	016214	10	24	17,5	14	78	154	1
6012-4011	016221	11	24	18,5	14	78	163	1
6012-4012	016238	12	24	20,0	14	78	169	1
6012-4013	016245	13	24	21,0	14	78	185	1
6012-4014	016252	14	24	22,0	17	78	201	1
6012-4015	016269	15	24	24,0	17	78	213	1
6012-4016	016276	16	24	24,0	17	78	224	1
6012-4017	016283	17	26	26,0	17	78	252	1
6012-4018	016290	18	28	28,0	17	78	283	1
6012-4019	016306	19	28	28,0	19	78	268	1
6012-4020	023533	20	30	30,0	24	78	247	1
6012-4021	016313	21	30	30,0	24	78	310	1
6012-4022	016320	22	30	32,0	24	78	302	1
6012-4023	023540	23	30	32,0	26	78	256	1
6012-4024	016337	24	30	34,0	24	78	309	1
6012-4025	023557	25	30	36,0	35	78	296	1
6012-4026	023564	26	30	36,0	35	78	280	1
6012-4027	016344	27	30	38,0	24	78	325	1
6012-4028	023571	28	30	40,0	35	78	316	1
6012-4029	023588	29	30	40,0	35	78	355	1
6012-4030	016351	30	30	42,0	24	78	352	1
6012-4032	016368	32	30	44,0	24	78	317	1

6090 1/2" METRIC SOCKET WRENCH SET

ITEM NO. 6090-1222

- Set in watertight plastic case with 6-point impact sockets from 10 to 32 mm and accessories.
- 22 tools.



3,5 KG

5704196 016474

1

1/2"



CONTENT:

QTY.	DESCRIPTION	SIZE
15	6-point sockets	6012 1/2" 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm
1	Extension	6212 1/2" EX 125 mm
1	Adaptor	6638 1/2" A
2	Safety set	6012 1/2" SR 8 - 14 mm / 15 - 32 mm






POLAR® SOCKETS AND ACCESSORIES

6090 L 1/2" METRIC SOCKET WRENCH SET

ITEM NO. 6090-1220

- Set in watertight plastic case with 6-point long impact sockets from 10 to 32 mm and accessories.
- 20 tools.




4,6 KG

5704196 016481

1

1/2"

20
TOOLS




CONTENT:

QTY.	DESCRIPTION	SIZE
15	Long 6-point sockets	6012 1/2" L 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm
1	Extension	6212 1/2" EX 125 mm
2	Safety set	6012 1/2" SR 8 - 14 mm / 15 - 32 mm

6090 LT 1/2" METRIC SOCKET WRENCH SET

ITEM NO. 6090-1204

- Set in metal box with 6-point long impact sockets with thin walls for wheel nuts.
- 6 tools.



1,5 KG

5704196 016467

1

1/2"

6
TOOLS



CONTENT:


QTY.	DESCRIPTION	SIZE
4	Long thinwalled 6-point sockets	6012 1/2" LT 17 - 19 - 21 - 22 mm
1	Safety set	6012 1/2" SR 15 - 32 mm

POLAR® SOCKETS AND ACCESSORIES



6012 LT 1/2" 6-POINT LONG METRIC IMPACT SOCKETS

- Model with thin walls for wheel nuts.
- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.




ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G G	
6012-4115	023649	15	28	27,0	24	85	185	1
6012-4117	016375	17	30	24,0	24	85	240	1
6012-4119	016382	19	30	26,0	24	85	259	1
6012-4121	016399	21	30	28,0	24	85	270	1
6012-4122	016405	22	30	29,5	24	85	296	1
6012-4124	023656	24	33	31,0	24	85	303	1
6012-4127	023663	27	37	35,0	28	85	406	1

6112 TW 1/2" METRIC IMPACT SOCKETS

ISO 1174, DIN 3120

- Twist sockets for removal rounded or damaged fasteners with almost any head configuration.
- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	B1 MM	L MM	G G	
6112-5010	025476	10	16,0	34	43	1
6112-5011	025483	11	18,0	34	47	1
6112-5012	025490	12	18,5	34	49	1
6112-5013	025506	13	20,5	34	53	1
6112-5014	025513	14	22,0	34	70	1
6112-5015	025520	15	22,4	34	70	1
6112-5016	025537	16	23,5	34	71	1
6112-5017	025544	17	25,5	34	81	1
6112-5018	025551	18	26,5	34	91	1
6112-5019	025568	19	27,5	34	93	1
6112-5021	025575	21	29,5	34	94	1
6112-5024	025582	24	33,0	34	112	1
6112-5027	025599	27	37,0	34	116	1

6112 M 1/2" IMPACT TORSION BARS

ISO 1174, DIN 3120

- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	MAX. Nm	C MM	L MM	G G	
6112-6090	025681	90	25	200	172	1
6112-6100	025698	100	25	200	215	1
6112-6120	025704	120	25	200	200	1
6112-6135	025711	135	25	200	214	1
6112-6150	025728	150	25	200	259	1





POLAR® SOCKETS AND ACCESSORIES

6112 H 1/2" IMPACT SOCKET DRIVERS, HEX HEAD SCREWS

■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	C MM	L MM	G	
6112-2005	023670	5	25	78	96	1
6112-2006	023687	6	25	78	97	1
6112-2008	023694	8	25	78	102	1
6112-2010	023700	10	25	78	108	1
6112-2012	023717	12	25	78	125	1
6112-2014	023724	14	25	78	145	1
6112-2017	023731	17	25	78	182	1
6112-2019	023748	19	25	78	210	1

6212 EX 1/2" EXTENSIONS

■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	L MM	A MM	G	
6212-0075	016443	75	24	138	1
6212-0125	016450	125	24	215	1

6612 A 1/2" ADAPTOR FROM 1/2" TO 3/4"


■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	1/2"	3/4"	A MM	L MM	G	
6612-1234	024219	1/2"	3/4"	30	48	165	1

6112 TX 1/2" IMPACT SOCKET DRIVERS, TORX® SCREWS

■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	TORX® NO.	MM	C MM	L MM	G	
6112-1030	023755	T30	5,52	25	78	77	1
6112-1040	023762	T40	6,65	25	78	81	1
6112-1045	023779	T45	7,82	25	78	85	1
6112-1050	023786	T50	8,83	25	78	89	1
6112-1055	023793	T55	11,22	25	78	107	1
6112-1060	023809	T60	13,25	25	78	119	1

6712 A 1/2" ADAPTOR FROM 1/2" TO 3/8"

■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	1/2"	3/8"	A MM	L MM	G	
6712-1238	023601	1/2"	3/8"	25	38	60	1

6112 X 1/2" IMPACT SOCKET DRIVERS, XZN® SCREWS

■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE	C MM	L MM	G	
6112-4005	023816	M5	25	78	79	1
6112-4006	023823	M6	25	78	83	1
6112-4008	023830	M8	25	78	84	1
6112-4010	023847	M10	25	78	100	1
6112-4012	023854	M10	25	78	105	1
6112-4014	023861	M14	25	78	117	1
6112-4016	023878	M16	25	78	136	1

6812 U 1/2" UNIVERSAL JOINT

■ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	L MM	A MM	G	
6812-0012	016436	65	28	205	1



POLAR® SOCKETS AND ACCESSORIES




3/4" IMPACT SOCKETS AND ACCESSORIES

6034 3/4" 6-POINT METRIC IMPACT SOCKETS

ISO 2725-2, DIN 3129


- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6034-0017	023885	17	38	30,0	17	51	230	1
6034-0019	023908	19	38	32,0	18	52	240	1
6034-0021	023922	21	38	35,0	18	52	258	1
6034-0022	023939	22	38	35,0	18	52	258	1
6034-0024	023953	24	38	38,0	18	52	273	1
6034-0027	023984	27	40	40,0	28	52	283	1
6034-0028	023991	28	40	40,0	28	52	271	1
6034-0030	024004	30	44	44,0	28	52	360	1
6034-0032	024011	32	44	48,0	31	56	443	1
6034-0033	024028	33	44	48,0	32	56	420	1
6034-0034	024035	34	44	52,0	29	56	490	1
6034-0036	024042	36	44	52,0	32	56	465	1
6034-0038	024059	38	44	56,0	32	56	530	1
6034-0041	024066	41	44	60,0	28	56	575	1
6034-0046	024073	46	44	67,0	28	61	720	1
6034-0050	024080	50	54	71,0	42	72	1050	1
6034-0055	024097	55	54	77,0	40	74	1220	1
6034-0060	024103	60	54	84,0	40	74	1385	1

6034 LT 3/4" 6-POINT LONG METRIC IMPACT SOCKETS

- Model with thin walls for wheel nuts.
- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6034-4119	024240	19	44	29,0	41	90	550	1
6034-4122	024257	22	44	34,0	35	90	585	1
6034-4124	024264	24	44	37,0	37	90	620	1
6034-4127	024271	27	44	41,0	60	90	575	1
6034-4130	024288	30	44	44,0	56	90	575	1
6034-4132	024295	32	44	47,0	56	90	635	1
6034-4133	024301	33	44	48,0	56	90	655	1
6034-4136	024318	36	44	52,0	53	90	735	1

6234 EX 3/4" EXTENSIONS


- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	L MM	A MM	G	
6234-0100	024196	100	44	560	1
6234-0250	024202	250	44	1110	1

6034 L 3/4" 6-POINT LONG METRIC IMPACT SOCKETS


- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6034-4022	024110	22	44	37,0	32	90	640	1
6034-4024	024127	24	44	39,0	36	90	655	1
6034-4027	024134	27	44	43,0	57	90	615	1
6034-4030	024141	30	44	46,0	57	90	665	1
6034-4032	024158	32	44	49,0	57	90	720	1
6034-4033	024165	33	44	51,0	57	90	760	1
6034-4036	024172	36	44	54,0	57	90	830	1
6034-4041	024189	41	44	60,0	57	92	935	1

6634 A 3/4" ADAPTOR FROM 3/4" TO 1"


- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	3/4"	1"	A MM	L MM	G	
6634-3401	024677	3/4"	1"	44	63	430	1

6734 A 3/4" ADAPTOR FROM 3/4" TO 1/2"

- Surface: Phosphatised finish. Material: Chrome-molybdenum steel.




ITEM NO.	5704196+	3/4"	1/2"	A MM	L MM	G	
6734-3412	016412	3/4"	1/2"	44	56	305	1



POLAR® SOCKETS AND ACCESSORIES

6834 U 3/4" UNIVERSAL JOINT


▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	L MM	A MM	G	
6834-0034	024233	90	44	650	1

6001 L 1" 6-POINT LONG METRIC IMPACT SOCKETS

▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.





ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6001-4024	024462	24	54	42,0	38	90	880	1
6001-4027	024479	27	54	45,0	40	90	905	1
6001-4030	024486	30	54	50,0	42	90	955	1
6001-4032	024493	32	54	52,0	43	90	975	1
6001-4033	024509	33	54	53,0	41	90	1000	1
6001-4036	024523	36	54	57,0	53	90	1010	1
6001-4041	024530	41	54	63,0	50	90	1170	1
6001-4046	024547	46	54	69,0	64	100	1485	1
6001-4050	024554	50	54	74,0	57	100	1645	1
6001-4055	024561	55	54	81,0	48	100	1800	1
6001-4060	024578	60	54	87,0	75	120	2450	1
6001-4065	024585	65	54	93,0	78	120	2500	1
6001-4070	024592	70	54	98,0	81	125	3050	1

1" IMPACT SOCKETS AND ACCESSORIES

6001 1" 6-POINT METRIC IMPACT SOCKETS

ISO 2725-2, DIN 3129

▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.




ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6001-0024	024325	24	54	42,0	16	58	555	1
6001-0027	024332	27	54	45,0	16	58	575	1
6001-0030	024349	30	54	49,0	19	60	627	1
6001-0032	024356	32	54	52,0	19	60	660	1
6001-0033	024363	33	54	52,0	19	61	675	1
6001-0036	024387	36	54	57,0	27	65	740	1
6001-0041	024394	41	54	63,0	27	65	835	1
6001-0046	024400	46	54	69,0	32	74	1090	1
6001-0050	024417	50	54	74,0	32	74	1215	1
6001-0055	024424	55	54	80,0	42	85	1530	1
6001-0060	024431	60	54	87,0	46	90	1810	1
6001-0065	024448	65	54	93,0	46	93	2065	1
6001-0070	024455	70	54	100,0	52	98	2320	1

6001 LT 1" 6-POINT LONG METRIC IMPACT SOCKETS

▪ Model with thin walls for wheel nuts.


▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM	G	
6001-4127	024608	27	54	42,0	42	90	830	1
6001-4130	024615	30	54	45,0	49	90	810	1
6001-4132	024622	32	54	47,0	41	90	850	1
6001-4133	024639	33	54	49,0	42	90	895	1
6001-4136	024646	36	54	52,0	52	90	820	1

6201 EX 1" EXTENSIONS

▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	L MM	A MM	G	
6201-0175	024653	175	54	1410	1
6201-0325	024660	325	54	2400	1




POLAR® SOCKETS AND ACCESSORIES



6701 A 1" ADAPTOR FROM 1" TO 3/4"

▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.




ITEM NO.	5704196+			A MM	L MM		
6701-0134	024226	1"	3/4"	54	72	610	1

1 1/2" IMPACT SOCKETS AND ACCESSORIES

6015 1 1/2" 6-POINT METRIC IMPACT SOCKETS


ISO 2725-2, DIN 3129

▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



6601 A 1" ADAPTOR FROM 1" TO 1 1/2"

▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.




ITEM NO.	5704196+			A MM	L MM		
6601-0115	024868	1"	1 1/2"	54	90	1065	1

ITEM NO.	5704196+	SIZE MM	B MM	B1 MM	C MM	L MM		
6015-0046	024707	46	86	74,0	29	84	2200	1
6015-0050	024714	50	86	79,0	35	84	2150	1
6015-0055	024721	55	86	86,0	35	90	2500	1
6015-0060	024738	60	86	92,0	43	90	2550	1
6015-0065	024745	65	86	98,0	45	95	2900	1
6015-0070	024752	70	86	104,0	47	100	3250	1
6015-0075	024769	75	86	110,0	48	110	4050	1
6015-0080	024776	80	86	116,0	54	110	4100	1
6015-0085	024783	85	86	122,0	54	110	4400	1
6015-0090	024790	90	86	130,0	57	112	4950	1
6015-0095	024806	95	95	135,0	62	112	5150	1
6015-0100	024813	100	95	140,0	58	115	5800	1
6015-0105	024820	105	95	148,0	65	120	6350	1
6015-0110	024837	110	95	154,0	70	125	7300	1
6015-0115	024844	115	95	160,0	65	130	7800	1
6015-0120	024851	120	127	165,0	67	135	11950	1

6801 U 1" UNIVERSAL JOINT


▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+	L MM	A MM		
6801-0001	024691	110	54	1320	1

6715 A 1 1/2" ADAPTOR FROM 1 1/2" TO 1"

▪ Surface: Phosphatised finish. Material: Chrome-molybdenum steel.



ITEM NO.	5704196+			A MM	L MM		
6715-1501	024684	1 1/2"	1"	86	100	1865	1

6012 SR 1/2" SAFETY SET

▪ Includes safety ring and pin.




ITEM NO.	5704196+	SIZE		
6012-9301	016498	6012 1/2" 8 - 14 mm	3	1
6012-9302	016504	6012 1/2" 15 - 32 mm	4	1

POLAR® DIVERSE PRODUKTER

9000 TELESKOPISKE MAGNETER

- Til opsamling af smådele. Lommeclips.
- Udførelse: Forkromet.



ITEM NO.	5704196+	MAKS. KAPACITET KG	A MM	L MM	G	
9000-0016	007564	1,6	11	560	35	25
9000-0022	007571	2,2	13	650	40	25

9005 INSPEKTIONSSPEJL

- Inspektionsspejl Ø 24 mm med 5 x forstørrelsesspejl.
- Spejlramme i rustfrit stål. Isoleret håndtag.
- Udførelse: Forkromet



ITEM NO.	5704196+	A MM	L MM	G	
9005-0024	027401	24	265	26	1

9001 FLEKSIBEL OPSAMLER - MAGNETISK

- Til opsamling af smådele på utilgængelige steder.
- Udførelse: Forkromet med plasthåndtag.



ITEM NO.	5704196+	MAKS. KAPACITET KG	A MM	L MM	G	
9001-0001	027388	1	13	500	144	1
9001-0003	027395	3	17	500	154	1

9006 TELESKOPISK INSPEKTIONSSPEJL

- Spejl Ø 50 mm. Spejlramme i rustfrit stål.
- Magneten løfter 0,45 kg (1 lb).
- Håndtaget kan forlænges op til 560 mm.
- Hovedet kan justeres i alle retninger.
- Med lommeclips.
- Udførelse: Forkromet



ITEM NO.	5704196+	A MM	L MM	G	
9006-0050	027418	50	210-560	48	1

9008 FLEKSIBEL FINGER


- Til opsamling af smådele på utilgængelige steder.
- Tre kløer med tryknap kontrol.
- Maks. åbning: 32 mm
- Udførelse: Forkromet.



ITEM NO.	5704196+	L MM	G	
9008-0500	027432	500	144	1

9007 TELESKOPISK LED INSPEKTIONSSPEJL

- Spejl Ø 30 mm med LED-lys. Spejlramme i rustfrit stål.
- Håndtaget kan forlænges op til 665 mm.
- Hovedet kan justeres i alle retninger.
- Med lommeclips.
- Udførelse: Forkromet



ITEM NO.	5704196+	A MM	L MM	G	
9007-0030	027425	30	240-665	52	1



9010 A MAGNETBAKKE RUND

- Rund magnetisk bakke med kraftig magnet.
- Til opbevaring af smådele og værktøj.
- Magneten er dækket med beskyttende gummi.
- Udførelse: Forkromet



ITEM NO.	5704196+	Ø MM	H MM	G	1
9010-0001	027449	147	25	328	1

9010 B MAGNETBAKKE, REKTANGULÆR

- Rektangulær magnetisk bakke med kraftig magnet.
- Til opbevaring af smådele og værktøj.
- Magneten er dækket med beskyttende gummi.
- Udførelse: Forkromet



ITEM NO.	5704196+	STR. MM	H MM	G	1
9010-0002	027456	240 x 140	25	620	1



POLAR TOOLS A/S

مركز البراغي والعدد
BOLTS & TOOLS CENTER **BTGO**